



Material Safety Data Sheet

U.S. Department of Labor

May be used to comply with

OSHA's Hazard Communication Standard,
29 CFR 1910.1200. Standard must be
consulted for specific requirements.

Occupational Safety and Health
Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

IDENTITY *(As Used on Label and List)*
ELSTON GOPHER BAIT

Note: Blank spaces are not permitted. If any item is
not applicable, or no information is available, the
space must be marked to indicate that.

Section I

Manufacturer's Name ELSTON MANUFACTURING, INC.	Emergency Telephone Number POISON CONTROL CENTER 800-764-7661
Address <i>(Number, Street, City, State, and ZIP Code)</i> 706 NORTH WEBER	Telephone Number for Information 605-336-7716 / 800-845-1385
SIOUX FALLS, SOUTH DAKOTA 57103	Date Prepared October 3, 2003
	Signature of Preparer <i>(optional)</i>

Section II - Hazard Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% <i>(optional)</i>
STRYCHNINE ALKALOID – ACTIVE INGREDIENT				
MILO GRAIN - VEHICLE				
ADHESIVE - LIPADOL				
DYE BLUE				

Section III - Physical/Chemical Characteristics

Boiling Point	N/A	Specific Gravity (H ₂ O = 1)	N/A
Vapor Pressure (mm Hg.)	N/A	Melting Point	N/A
Vapor Density (AIR = 1)	N/A	Evaporation Rate (Butyl Acetate = 1)	N/A
Solubility in Water SOLUBLE IN WATER			
Appearance and Odor MILO GRAIN DYED BLUE GREEN DISTINCTIVE APPEARANCE , ODORLESS			

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used)	N/A	Flammable Limits	LEL	UEL
		N/A	N/A	N/A
Extinguishing Media N/A				
Special Fire Fighting Procedures AVOID GETTING MATERIAL WET				
Unusual Fire and Explosion Hazards DO NOT BREATHE FUMES USE APPROPRIATE BREATHING DEVICES AND TAKE PRECAUTIONARY ACTION IN HANDLING THIS MATERIAL, GLOVES, MASKS, EYE PROTECTION.				

(Reproduce locally)

OSHA 174, Sept. 1985

Section V - Reactivity Data

Stability	Unstable	Conditions to Avoid
	Stable	X DANGEROUS WHEN HEATED GIVES OFF TOXIC FUMES
Incompatibility (Materials to Avoid) N/A		

Hazardous Decomposition or Byproducts			
Hazardous Polymerization	May Occur	X	Conditions to Avoid SPILLING AND HEATING
	Will Not Occur		

Section VI - Health Hazard Data

Route(s) of Entry:	Inhalation? YES	Skin? YES	Ingestion? YES
Health Hazards (<i>Acute and Chronic</i>) DO NOT BREATHE OVER PROLONGED PERIODS OF TIME 5 MINUTES OR MORE			
Carcinogenicity: N/A	NTP? N/A	IARC Monographs? N/A	OSHA Regulated? YES
Signs and Symptoms of Exposure STOMACH ACHE, CONFUSION			
Medical Conditions Generally Aggravated by exposure PROBLEMS, ASHMA			
COLDS, CHRONIC RESPIRATORY			
Emergency and First Aid Procedures CALL A PHYSICIAN OR POISON CONTROL CENTER, DRINK 1 OR 2 GLASSES OF WATER AND INDUCE VOMITING BY TOUCHING BACK OF THROAT WITH FINGER. DO NOT INDUCE VOMITING OR GIVE ANYTHING TO AN UNCONSCIOUS PERSON.			

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled DO NOT ALLOW BAIT TO BE EXPOSED ON SOIL SURFACE, DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT OR DISPOSAL OF WASTES. SWEEP UP ANY SPILLAGE OF BAIT CAREFULLY AND BURY IN GROUND.

Waste Disposal Method BURY IN GROUND – CRUSH AND BURY EMPTY CONTAINERS.
Precautions to Be taken in Handling and Storing WEAR RESPIRATOR TYPE MASK (APPROVED FOR PESTICIDE APPLICATION)
Other Precautions

Section VIII - Control Measures

Respiratory Protection (<i>Specify Type</i>) WEAR RESPIRATOR TYPE MASK (APPROVED FOR PESTICIDE APPLICATION)		
Ventilation	Local Exhaust YES	Special N/A
	Mechanical (<i>General</i>) N/A	Other N/A
Protective Gloves YES	Eye Protection YES	
Other Protective Clothing or Equipment MASK – GLOVES – LONG SLEEVED – CAP – EYE PROTECTION		
Work/Hygienic Practices DO NOT REUSE EMPTY CONTAINERS – WASH HANDS, BRUSH OFF CLOTHING AND BOTTOM OF SHOES.		